

 ARBO WINDOWS JSC Reg.Nr. 50103451301	Declaration of Performance	No. AW/EID/190626-13.2	 EN 14351-1	The year of issue 2026
--	-----------------------------------	---------------------------	---	----------------------------------

1. Product type: **IV92 Wood Windows**
2. Product type number: **IV92 Wood Windows**
3. Intended use: **Wooden sliding doors are designed for use in residential and public buildings and other suitable projects.**
4. Manufacturer: **ARBO Windows JSC,
Kustes dambis 32,
LV-3601, Ventspils, Latvija**
5. Authorized Representative:
6. AVCP system: **3**
7. Reference harmonised standard: **NB Nr.2018 – EN 12207:2017, EN 12208:2002, EN 12210:2016, performance is indicated by reference to the KTU INSTITUTE OF ARCHITECTURE AND CONSTRUCTION LABORATORY OF BUILDING PHYSICS test protocol No. 024 SF/23 OVA en.**

NB Nr.0757 – EN 10077-2:2017 If the value calculation is done with the program WinIso2D EN ISO 10077-2:2017-07. Certified Test Laboratory ift Rosenheim GmbH, certificate Nr.17-003282-PR01, 24.08.2018.
8. European Technical Assessment: **Not Applicable**
9. Declared Performance:

Būvniecības raksturlielumi Characteristic		Ekspluatācijas īpašības Properties	Saskaņota tehniskā specifikācija Technical specification
9.1	Resistance to wind load, test pressure	4	EN 14351-1:2006+A2:2016
9.2	Watertightness	AE1200	
9.3	Radiation properties	NPD	
9.4	Resistance to wind load, frame deflection	C	
9.5	Acoustic Performance [dB]	NPD	
9.6	Thermal transmittance	$U_w = * \text{ W/m}^2$	
9.7	Air permeability	4	

* - Final U_w value depends on glazing specification, dimensions and product configuration and is declared for each specific project/order.

10. Client's project ID: ---
11. Producer Ref. No.: ---

For the operating characteristics of this Declaration is responsible only authority specified in paragraph 4.

Signed on behalf of the manufacturer:

Jānis Vēdzele
(ARBO Windows JSC Quality manager)

Ventspils, 19.05.2026