

 ARBO WINDOWS JSC Reg.Nr. 50103451301	Declaration of Performance	No. AW/EID/190626-16.2	 EN 14351-1	The year of issue 2026
--	-----------------------------------	---------------------------	---	----------------------------------

1. Product type: **Folding Doors**
2. Product type number: **Folding Doors**
3. Intended use: **Wooden folding doors are designed for use in residential and public buildings and other suitable projects.**
4. Manufacturer: **ARBO Windows JSC,
Kustes dambis 32,
LV-3601, Ventspils, Latvija**
5. Authorized Representative:
6. AVCP system: **3**
7. Reference harmonised standard: **NB Nr.2018 – EN 12207:2017, EN 12208:2002, EN 12210:2016, performance is indicated by reference to the KTU INSTITUTE OF ARCHITECTURE AND CONSTRUCTION LABORATORY OF BUILDING PHYSICS test protocol No. 178 SF/15 VOA en. 041 SF/16 OS en.

NB Nr.0757 – EN 10077-2:2017 Uf the value calculation is done with the program WinIso2D EN ISO 10077-2:2017-07. Certified Test Laboratory ift Rosenheim GmbH, certificate Nr.17-003282-PR01, 24.08.2018.**
8. European Technical Assessment: **Not Applicable**
9. Declared Performance:

Būvīskie raksturlielumi Characteristic		Ekspluatācijas īpašības Properties	Saskaņota tehniskā specifikācija Technical specification
9.1	Resistance to wind load, test pressure	3	EN 14351-1:2006+A2:2016
9.2	Watertightness	9A	
9.3	Radiation properties	NPD	
9.4	Resistance to wind load, frame deflection	C	
9.5	Acoustic Performance [dB]	NPD	
9.6	Thermal transmittance	U _w = * W/m²	
9.7	Air permeability	4	
* - Final U _w value depends on glazing specification, dimensions and product configuration and is declared for each specific project/order.			

10. Client's project ID: ---
11. Producer Ref. No.: ---

For the operating characteristics of this Declaration is responsible only authority specified in paragraph 4.

Signed on behalf of the manufacturer:

Jānis Vēdzele
(ARBO Windows JSC Quality manager)

Ventspils, 19.05.2026